


OXFORD







turbulence

AN INTRODUCTION FOR SCIENTISTS AND ENGINEERS

P. A. DAVIDSON

Turbulence

An Introduction for Scientists and Engineers

P.A. Davidson University of Cambridge

376/4419

Leibniz Universität Hannover Institut für Meteorologie und Klimatologie Herrenhäuser Str. 2 · 30419 Hannover

UNIVERSITY PRESS

F()RI)

CONTENTS

Part I: The classical picture of turbulence 1

1 The ubiquitous nature of turbulence 3

- 1.1 The experiments of Taylor and Bénard 4
- 1.2 Flow over a cylinder 8
- 1.3 Reynolds' experiment 9
- 1.4 Common themes 10
- 1.5 The ubiquitous nature of turbulence 14
- 1.6 Different scales in a turbulent flow: a glimpse at the energy cascade of Kolmogorov and Richardson 17
- 1.7 The closure problem of turbulence 21
- 1.8 Is there a 'theory of turbulence'? 23
- 1.9 The interaction of theory, computation, and experiment 24

2 The equations of fluid mechanics 29

- 2.1 The Navier-Stokes equation 30
 - 2.1.1 Newton's second law applied to a fluid 30
 - 2.1.2 The convective derivative 33
 - 2.1.3 Integral versions of the momentum equation 34
 - 2.1.4 The rate of dissipation of energy in a viscous fluid 35
- 2.2 Relating pressure to velocity 38
- 2.3 Vorticity dynamics 39
 - 2.3.1 Vorticity and angular momentum 39
 - 2.3.2 The vorticity equation 43
 - 2.3.3 Kelvin's theorem 48
 - 2.3.4 Tracking vorticity distributions 50
- 2.4 A definition of turbulence 52

3 The origins and nature of turbulence 57

- 3.1 The nature of chaos 58
 - 3.1.1 From non-linearity to chaos 59
 - 3.1.2 More on bifurcations 63
 - 3.1.3 The arrow of time 66
- 3.2 Some elementary properties of freely evolving turbulence 70
 - 3.2.1 Various stages of development 72
 - 3.2.2 The rate of destruction of energy in fully developed turbulence 76
 - 3.2.3 How much does the turbulence remember? 80

- 3.2.4 The need for a statistical approach and different methods of taking averages 84
- 3.2.5 Velocity correlations, structure functions and the energy spectrum 88
- 3.2.6 Is the asymptotic state universal? Kolmogorov's theory 94
- 3.2.7 The probability distribution of the velocity field 98

4 Turbulent shear flows and simple closure models 107

- 4.1 The exchange of energy between the mean flow and the turbulence 109
 - 4.1.1 Reynolds stresses and the closure problem of turbulence 110
 - 4.1.2 The eddy-viscosity theories of Boussinesq and Prandtl 113
 - 4.1.3 The transfer of energy from the mean flow to the turbulence 117
 - 4.1.4 A glimpse at the $k-\varepsilon$ model 122

4.2 Wall-bounded shear flows and the log-law of the wall 126

- 4.2.1 Turbulent flow in a channel and the log-law of the wall 126
- 4.2.2 Inactive motion—a problem for the log-law? 131
- 4.2.3 Turbulence profiles in channel flow 135
- 4.2.4 The log-law for a rough wall 136
- 4.2.5 The structure of a turbulent boundary layer 137
- 4.2.6 Coherent structures 139
- 4.2.7 Spectra and structure functions near the wall 145
- 4.3 Free shear flows 147
 - 4.3.1 Planar jets and wakes 147
 - 4.3.2 The round jet 153
- 4.4 Homogeneous shear flow 157
 - 4.4.1 The governing equations 157
 - 4.4.2 The asymptotic state 161
- 4.5 Heat transfer in wall-bounded shear flows—the log-law revisited 162
 - 4.5.1 Turbulent heat transfer near a surface and the log-law for temperature 162
 - 4.5.2 The effect of stratification on the log-law—the atmospheric boundary layer 170

- 4.6 More on one-point closure models 176
 - 4.6.1 A second look at the k- ε model 176
 - 4.6.2 The Reynolds stress model 186
 - 4.6.3 Large eddy simulation: a rival for one-point closures? 191
- 5 The phenomenology of Taylor, Richardson, and Kolmogorov 199
 - 5.1 Richardson revisited 202
 - 5.1.1 Time and length-scales in turbulence 202
 - 5.1.2 The energy cascade pictured as the stretching of turbulent eddies 206
 - 5.1.3 The dynamic properties of turbulent eddies 214
 - 5.2 Kolmogorov revisited 223
 - 5.2.1 Dynamics of the small scales 223
 - 5.2.2 Turbulence induced fluctuations of a passive scalar 234
 - 5.3 The intensification of vorticity and the stretching of material lines 242
 - 5.3.1 Enstrophy production, the skewness factor, and scale invariance 242
 - 5.3.2 Sheets or tubes? 246
 - 5.3.3 Examples of concentrated vortex sheets and tubes 248
 - 5.3.4 Are there singularities in the vorticity field? 251
 - 5.3.5 The stretching of material line elements 256
 - 5.3.6 The interplay of the strain and vorticity fields 260
 - 5.4 Turbulent diffusion by continuous movements 271
 - 5.4.1 Taylor diffusion of a single particle 273
 - 5.4.2 Richardson's law for the relative diffusion of two particles 275
 - 5.4.3 The influence of mean shear on turbulent dispersion 280
 - 5.5 Why turbulence is never Gaussian 283
 - 5.5.1 The experimental evidence and its interpretation 284
 - 5.5.2 A glimpse at closure schemes which assume near-Gaussian statistics 288

5.6 Closure 289

Appendix: The statistical equations for a passive scalar in isotropic turbulence: Yaglom's four-thirds Law and Corrsin's integral 291 Part II: Freely decaying, homogeneous turbulence 2976 Isotropic turbulence (In real space) 299

- 6.1 Introduction: exploring isotropic turbulence in real space 299
 - 6.1.1 Deterministic cartoons versus statistical phenomenology 300
 - 6.1.2 The strengths and weaknesses of Fourier space 304
 - 6.1.3 An overview of this chapter 306
- 6.2 The governing equations of isotropic turbulence 318
 - 6.2.1 Kinematics 318
 - 6.2.2 Dynamics 331
 - 6.2.3 Overcoming the closure problem 338
- 6.3 The dynamics of the large scales 343
 - 6.3.1 Loitsyansky's integral 345
 - 6.3.2 Kolmogorov's decay laws 346
 - 6.3.3 Landau's angular momentum 347
 - 6.3.4 Batchelor's pressure forces 351
 - 6.3.5 The Saffman-Birkhoff spectrum 355
 - 6.3.6 A reappraisal of the long-range pressure forces in $E \sim k^4$ turbulence 364
- 6.4 The characteristic signature of eddies of different shape 369
 - 6.4.1 Townsend's model eddy 370
 - 6.4.2 Other model eddies 375
- 6.5 Intermittency in the inertial-range eddies 376
 - 6.5.1 A problem for Kolmogorov's theory? 377
 - 6.5.2 The β -model of intermittency 380
 - 6.5.3 The log-normal model of intermittency 382
- 6.6 The distribution of energy and vorticity across the different eddy sizes 386
 - 6.6.1 A 'real-space' function which represents, approximately, the distribution of energy 387
 - 6.6.2 Cascade dynamics in real space 400
 - 6.6.3 A 'real-space' function which represents, approximately, the distribution of enstrophy 410
 - 6.6.4 A footnote: can we capture Richardson's vision with our mathematical analysis? 412

Appendix: Turbulence composed of Townsend's model eddy 417

- 7 The role of numerical simulations 423
 - 7.1 What is DNS or LES? 423
 - 7.1.1 Direct numerical simulation 423

- 7.1.2 Large eddy simulations 427
- 7.2 On the dangers of periodicity 433
- 7.3 Structure in chaos 435
 - 7.3.1 Tubes, sheets, and cascades 436
 - 7.3.2 On the taxonomy of worms 438
 - 7.3.3 Structure and intermittency 441
 - 7.3.4 Shear flows 443
- 7.4 Postscript 445

8 Isotropic turbulence (in spectral space) 449

- 8.1 Kinematics in spectral space 449
 - 8.1.1 The Fourier transform and its properties 451
 - 8.1.2 The Fourier transform as a filter 454
 - 8.1.3 The autocorrelation function 456
 - 8.1.4 The transform of the correlation tensor and the three-dimensional energy spectrum 460
 - 8.1.5 One-dimensional energy spectra 463
 - 8.1.6 Relating the energy spectrum to the second-order structure function 467
 - 8.1.7 A footnote: singularities in the spectrum arising from anisotropy 468
 - 8.1.8 Another footnote: the transform of the velocity field 470
 - 8.1.9 Definitely the last footnote: what do E(k) and $E_1(k)$ really represent? 471
 - 8.2 Dynamics in spectral space 474
 - 8.2.1 An evolution equation for E(k) 474
 - 8.2.2 Closure in spectral space 477
 - 8.2.3 Quasi-Normal type closure schemes (Part 2) 483

Part III: Special topics 495

- 9 The influence of rotation, stratification, and magnetic fields on turbulence 497
 - 9.1 The importance of body forces in geophysics and astrophysics 497
 - 9.2 The influence of rapid rotation and stable stratification 499
 - 9.2.1 The Coriolis force 499
 - 9.2.2 The Taylor–Proudman theorem 502
 - 9.2.3 Properties of inertial waves 504
 - 9.2.4 Turbulence in rapidly rotating systems 506
 - 9.2.5 Turbulence with moderate rotation 510
 - 9.2.6 From rotation to stratification (or from cigars to pancakes) 511

- 9.3 The influence of magnetic fields I—the MHD equations 515
 - 9.3.1 The interaction of moving conductors and magnetic fields: a qualitative overview 515
 - 9.3.2 From Maxwell's equations to the governing equations of MHD 521
 - 9.3.3 Simplifying features of low magnetic Reynolds number MHD 525
 - 9.3.4 Simple properties of high magnetic Reynolds number MHD 527
- 9.4 The influence of magnetic fields II—MHD turbulence 531
 - 9.4.1 The growth of anisotropy in MHD turbulence 532
 - 9.4.2 The evolution of eddies at low magnetic Reynolds number 534
 - 9.4.3 The Landau invariant for homogeneous MHD turbulence 541
 - 9.4.4 Decay laws at low magnetic Reynolds number 543
 - 9.4.5 Turbulence at high magnetic Reynolds number 545
- 9.5 The combined effects of Coriolis and Lorentz forces 548
 - 9.5.1 The shaping of eddies by Coriolis and magnetic forces 548
 - 9.5.2 Turbulence in the core of the earth 551
 - 9.5.3 Turbulence near the surface of the sun 563

10 Two-dimensional turbulence 569

- 10.1 The classical picture of two-dimensional turbulence: Batchelor's self-similar spectrum 570
 - 10.1.1 What is two-dimensional turbulence? 571
 - 10.1.2 What does the turbulence remember? 574
 - 10.1.3 Batchelor's self-similar spectrum 575
 - 10.1.4 The inverse energy cascade of Batchelor and Kraichnan 577
 - 10.1.5 Different scales in two-dimensional turbulence 581
 - 10.1.6 The shape of the energy spectrum: the k^{-3} law 581
 - 10.1.7 Problems with the k^{-3} law 585
 - 10.1.8 A Richardson-type law for the inertial range 586

10.2 Coherent vortices: a problem for the classical theory 589

- 10.2.1 The evidence 589
- 10.2.2 The significance 592
- 10.3 The governing equations in statistical form 593
 - 10.3.1 Correlation functions, structure functions, and the energy spectrum 594
 - 10.3.2 The two-dimensional Karman–Howarth equation and its consequences 598
 - 10.3.3 Loitsyansky's integral in two dimensions 604
- 10.4 Variational principles for predicting the final state in confined domains 607
 - 10.4.1 Minimum enstrophy 608
 - 10.4.2 Maximum entropy 610
- 10.5 Quasi-two-dimensional turbulence: bridging the gap with reality 611
 - 10.5.1 The governing equations for shallow-water, rapidly rotating flow 611
 - 10.5.2 Karman–Howarth equation for shallowwater, rapidly rotating turbulence 614
- Epilogue 619
- Appendices 623
- Appendix 1 Vector identities and an introduction to tensor notation 623
 - A1.1 Vector identities and theorems 623
 - A1.2 An introduction to tensor notation 625

Appendix 2 The properties of isolated vortices:

invariants, far-field properties, and long-range interactions 632

- A2.1 The far-field velocity induced by an isolated eddy 632
- A2.2 The pressure distribution in the far field 634
- A2.3 Integral invariants of an isolated eddy 635
- A2.4 Long-range interactions between eddies 638
- Appendix 3 Long-range pressure forces in isotropic turbulence 641
 - A3.1 A dynamic equation for the pressureinduced, long-range correlations 641
 - A3.2 Experimental evidence for the strength of long-range pressure forces 643

Appendix 4Hankel transforms and hypergeometric
functions 646
A4.1Hankel transforms 646
A4.2Appendix 5Hypergeometric functions 647Appendix 5The kinematics of homogeneous, axisymmetric
turbulence 649Index 653

xviii